



SIZE	ART. NO.	EAN NO.
7	884A-7	7340118322254
8	884A-8	7340118322261
9	884A-9	7340118322278
10	884A-10	7340118322285
11	884A-11	7340118322292
12	884A-12	7340118322299
6	884A-6	7340118381435
5	884A-5	7340118381282

## TEGERA® 884A

Synthetic glove, nitrile foam, palm-dipped, dots, 15 gg, Lycra®, nitrile-dots, nylon, Cat. II, black, grey, water and oil repellent palm, for precision work

### PROPERTIES

High level of protection, good fingertip sensitivity, extra flexible, very durable, perfect fit, comfortable, very breathable

### SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 5, 6, 7, 8, 9, 10, 11, 12

DIPPING Palm-dipped

DIPPING MATERIAL Nitrile foam

LINING MATERIAL 15 gg, Lycra®, Nitrile-dots, Nylon

DEXTERITY 5

GRIP PATTERN Dots

CUFF STYLE Knitwrist cuff

LENGTH RANGE 220-260mm

COLOUR Black, Grey

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Hook with hangtag OUTER MATERIAL SPECIFICATION Nitrile

INNER MATERIAL SPECIFICATION Nylon, elastane

ANTIBACTERIAL/BIOCIDAL TREATMENT Pyrithione zinc (CAS number 13463-41-7)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4131X



EN 407:2004  
X1XXXX



## TEGERA® 884A

### FEATURES

Withstands contact heat up to 100°C, water and oil repellent palm

### PREVENTS RISK OF

Abrasion injuries, grazes, scratches, lacerations, contact with dirt, contact with damp, contact with oil and fat

### PRIMARY ENVIRONMENTS OF USE

Slippery environments, moist environments, oily and greasy environments, dirty environments

### PRIMARY AREAS OF USE

Agricultural work, airport work, assembly, building and construction, carpentry, concrete work, construction, electrical installation, engineering, fine assembly, forest work, gardening, HVAC installation, inspection work, installation work, machine driving, machine operating, mining, painting, repair work, sheet-metal work, soil preparation, tiling, transport work, warehouse work, wood industry work

### PRIMARY INDUSTRIES OF USE

Agriculture, mining, oil, gas, petrochemical, automotive, transportation, utilities, building and construction

### TYPE OF WORK

Light weight

2(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-22

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 884A

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	3	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)

CONFIDENCE IN TEXTILES Tested for harmful substances according to Oeko-Tex® Standard 100



CE Cat. II

EN 420:2003 + A1:2009



EN 388:2016 4131X



EN 407:2004 X1XXXX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-22

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com