



SIZE	ART. NO.	EAN NO.
7	169-7	7392626039643
8	169-8	7392626039650
9	169-9	7392626039667
10	169-10	7392626039674
11	169-11	7392626039681
12	169-12	7392626039698
13	169-13	7392626039704

## TEGERA® 169

Heat-resistant glove, fully lined, 0,7-0,8 mm split cowhide, cotton, cut resistance level B, KEVLAR® fiber, Cat. II, black, brown, reinforced fingers and thumb, water repellent leather, elasticated 180°, for allround work

### PROPERTIES

High level of protection, good fingertip sensitivity, durable, good fit

### SPECIFICATION

TYPE OF GLOVE Heat protection gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level B

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 8,11

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12, 13

PALM MATERIAL Split cowhide

PALM THICKNESS 0,7-0,8 mm

BACK MATERIAL Cotton

LINING Fully lined

LINING MATERIAL KEVLAR® fiber

DEXTERITY 2

CUFF STYLE Safety cuff

CUFF MATERIAL Textile

FASTENING Elasticated 180°

LENGTH RANGE 250-300 mm

COLOUR Black, Brown

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 0

DISPLAY Thread OUTER MATERIAL SPECIFICATION Cotton, leather, natural latex

INNER MATERIAL SPECIFICATION Para-aramid

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 169

### FEATURES

Cut resistant according to 388:2016 level B, withstands contact heat up to 100°C, reinforced index finger, reinforced seams, reinforced fingers and thumb, water and oil repellent

### PREVENTS RISK OF

Burn injuries, heat injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with damp

### PRIMARY ENVIRONMENTS OF USE

Warm environments, moist environments, harsh environments

### PRIMARY AREAS OF USE

Concrete work, engineering, hot work, machine operating, metalwork, mining, sheet-metal work, welding

### PRIMARY INDUSTRIES OF USE

Mining, automotive, building and construction

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003 + A1:2009  EN 388:2016 3X22B  EN 407:2004 41214X  EN 1149-2:1997 R:4,29x10<sup>9</sup>Ω



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-08

2(3)

  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 169

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	B	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)

EN 1149-2:1997 Electrostatic properties (vertical resistance)



CE Cat. II

EN 420:2003 + A1:2009  EN 388:2016 3X22B  EN 407:2004 41214X  EN 1149-2:1997 R:4,29x10<sup>10</sup>Ω



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-08

3(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com