



## TEGERA® 612

Synthetic glove, latex, palm-dipped, granulated, 10 gg, cotton, polyester, Cat. II, black, grey, breathable back, waterproof palm, for allround work

### PROPERTIES

Flexible, durable, good grip

### SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 7, 8, 9, 10, 11

DIPPING Palm-dipped

DIPPING MATERIAL Latex

LINING MATERIAL 10 gg, Cotton, Polyester

DEXTERITY 5

GRIP PATTERN Granulated

CUFF STYLE Knitwrist cuff

LENGTH RANGE 240 - 290mm

COLOUR Black, Grey

PAIRS PER PACKAGE/CARTON 12/60

DISPLAY Bulk pack OUTER MATERIAL SPECIFICATION  
Natural latex

INNER MATERIAL SPECIFICATION Cotton, polyester

SIZE	ART. NO.	EAN NO.
7	612-7	7340118355368
8	612-8	7340118355450
9	612-9	7340118355542
10	612-10	7340118355634
11	612-11	7340118355726

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 612

### FEATURES

Breathable back, waterproof palm

### PREVENTS RISK OF

Abrasion injuries, grazes, scratches, lacerations, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Wet environments, moist environments, dirty environments

### PRIMARY AREAS OF USE

Agricultural work, building and construction, concrete work, repair work, sanitation, soil preparation

### PRIMARY INDUSTRIES OF USE

Agriculture, mining, transportation, utilities, building and construction

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2142X



EN 407:2004  
X1XXXX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## TEGERA® 612

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2142X



EN 407:2004  
X1XXXX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com